

Stone Mastic Asphalt

Multipurpose Surface Layers

reliable

versatile

durable

economic

safe

trendsetting

J. RETTENMAIER & SÖHNE
GMBH + CO KG



Fibers designed
by Nature

SMA

safe

Your Need
Safety First

Characteristic No. 1 of SMA

- + Excellent skid resistance
- + Better visibility
- + Minimized aquaplaning

SMA

durable

Your Need

Durable Surfaces

Characteristic No. 2 of SMA

- + Best deformation resistance
- + Convincing performance against wear and tear
- + Outstanding life-cycle

VIATOP®
Das Pellet.

versatile

Your Need

One Mix Fits All

Characteristic No. 3 of SMA

+ For Roads

Motorways, expressways, highways, national roads, rural roads, city roads, trunk roads

+ For Airports

Runways, taxiways, service roads, stand-by and parking areas for service vehicles and busses

+ For Industrial Areas

Truck terminals, container terminals, industrial production sites, harbours



SMA


reliable

Your Need

Reliable Quality

Characteristic No. 4 of SMA

- + Long term approved mix design
- + Controlled mix production
- + Easy to lay and compact



VIATOP®
Das Pellet.

economic

Your Need

Best Value for Money

Characteristic No. 5 of SMA

- + Sustainable use of financial funds
- + Less maintenance costs
- + THE mix with spare capacity

SMA

trendsetting

.....

Your Need

Asphalt Concepts for the Future

Characteristic No. 6 of SMA

- + SMA plus - noise reducing surfaces
- + SMA B C – binder course mixes
- + SMA TL/VTL/UTL – thin, very thin and ultrathin surfaces

outstanding

At **J. Rettenmaier & Söhne Group**, we have dedicated ourselves to the research, development and processing of **high quality, organic fibers derived from natural and sustainable raw materials**. Many features of these valuable natural substances are available for the industry.

Our fiber expertise, application know-how and innovations gave us the reputation being the number one reliable partner for the asphalt industry for more than 30 years. **VIATOP®** pellets – our fibers with bituminous coating and additional functional additives inside - for decades have been the benchmark for fiber additives delivering the best quality and functionality for modern asphalt concepts. Together with sophisticated road construction experts around the globe, we developed the innovative **VIATOP® plus**. A wide range of pelletized fiber additives for various additional functions enhance the properties of the final mixes. Get ready for the future – with **VIATOP® plus**.



VIATOP® plants Lodenau, Calenberg, UK and Russia

VIATOP®
Das Pellet.

Reliable – Efficient – Economical

VIATOP® premium
Das Pellet.

for superior durability




VIATOP® 66
Das Pellet.

for superior durability



VIATOP® plus AD 10
Das Pellet.

plus improved adhesion



VIATOP® plus C 25
Das Pellet.

plus enhanced compaction



VIATOP® plus CT 40
Das Pellet.

plus reduced process temperatures



J. RETTENMAIER & SÖHNE
GMBH + CO KG



Fibers designed
by Nature

Business Unit Road Construction
73494 Rosenberg (Germany)
Phone: + 49 (0) 7967 / 152 297
Fax: + 49 (0) 7967 / 152 500 151
www.jrs.de, www.sma-viatop.com
viatop@jrs.de

VIATOP®
Das Pellet.